

# VACTOR®

# HXX




VACUUM EXCAVATORS



# Vactor Excavators for Utility Applications



Vactors HXX Series of Vacuum Excavators are like multi-purpose tools on wheels – designed for versatility, they can eliminate the need for multiple trucks on a job.

-  Provide towing capacity for hauling drills or supply trailers
-  Supply high pressure hot water for jobsite and equipment clean-up
-  Power other utility tools with on-board air compressors



**Vactor HXX Vacuum Excavators have a history of proven performance in:**

- Underground utility and line location
- Potholing
- Keyholing
- Trenching
- Daylighting underground infrastructure
- Water valve box clean out
- Precise excavations
- Emergency response
- Excavation in frozen ground
- Pipe and line installation
- Excavating in tight locations
- Excavating remotely at long distances

*For more information, visit [www.vactor.com](http://www.vactor.com) or call 815-672-3171*

Factor offers the widest range of Vacuum Excavators for the Utility Industry – ranging from single to four-rear axle, 3.5 yd<sup>3</sup> to 15 yd<sup>3</sup> debris capacity, and air, water, or both for digging.

### HXX Paradigm®



Axle Configuration	Vacuum System	CFM	Vacuum	Debris Capacity (yds)	Minimum HP	Rated Gross Vehicle Weight (GVW) (lbs)	
Single	6"	2,200	15"	3.3	325	Class 6 chassis (Non-CDL) 26,000	Class 7 chassis 33,000

**UNIQUE ADVANTAGES** – Compact, low profile, maneuverable design

### HXX Prodigy® 6-Yard



Axle Configuration	Vacuum System	CFM	Vacuum	Debris Capacity (yds)	Minimum HP	Rated Gross Vehicle Weight (GVW) (lbs)	
Single	6"	3,200	16"	6	300	33,000	

**UNIQUE ADVANTAGES** – Small, easier to maneuver in confined spaces

### HXX Prodigy® 9-Yard



Axle Configuration	Vacuum System	CFM	Vacuum	Debris Capacity (yds)	Minimum HP	Rated Gross Vehicle Weight (GVW) (lbs)	
Tandem	6"	3,200	16"	9	330	62,000	
Tandem w/ Pusher	6"	3,200	16"	9	330	70,000	

**UNIQUE ADVANTAGES** – Small, easier to maneuver in confined spaces, extreme payload capacity

### HXX PD w/ Roots 824 Blower



Axle Configuration	Vacuum System	CFM	Vacuum	Debris Capacity (yds)	Minimum HP	Rated Gross Vehicle Weight (GVW) (lbs)	
Tandem	8"	4,970	18"	12/15	380	66,000	
Tandem w/ Pusher	8"	4,970	18"	12/15	380	79,500	
Tandem w/ Pusher & Tag	8"	4,970	18"	12/15	380	86,000	

**UNIQUE ADVANTAGES** – High payload capacity, cost-effective

### HXX PD w/ Hibon 8702 Blower



Axle Configuration	Vacuum System	CFM	Vacuum	Debris Capacity (yds)	Minimum HP	Rated Gross Vehicle Weight (GVW) (lbs)	
Tandem w/ Pusher	8"	5,250	28"	12/15	425	79,500	
Tandem w/ Pusher & Tag	8"	5,250	28"	12/15	425	88,000	
Tridrive (12 yd)	8"	5,250	28"	12/15	425	86,000	
Tandem Steer/ Tandem Rear	8"	5,250	28"	12/15	425	86,000	

**UNIQUE ADVANTAGES** – Powerful vacuum, versatile all-around machine

### HXX PD w/ Robuschi Blower



Axle Configuration	Vacuum System	CFM	Vacuum	Debris Capacity (yds)	Minimum HP	Rated Gross Vehicle Weight (GVW) (lbs)	
Tandem w/ Pusher	8"	6,176	28"	12	500	79,500	
Tandem w/ Pusher & Tag	8"	6,176	28"	12	500	88,000	
Tridrive	8"	6,176	28"	12	500	86,000	

**UNIQUE ADVANTAGES** – Powerful vacuum, quieter operation

### HXX Fan




Axle Configuration	Vacuum System	CFM	Vacuum	Debris Capacity (yds)	Minimum HP	Rated Gross Vehicle Weight (GVW) (lbs)	
Tandem w/ Pusher	8"			12/15	380	79,500	
Tandem w/ Pusher & Tag	8"			12/15	380	88,000	
Tridrive	8"			12/15	380	86,000	

**Unique Advantages** – High payload capacity, more forgiving with less experienced operators

# SOLUTIONS FROM COAST TO COAST

EQUIPMENT • PARTS • SERVICE • RENTALS • TRAINING • EXPERTISE



**VACTOR**<sup>®</sup>  
Subsidiary of Federal Signal Corporation

For more than 100 years, Vactor Manufacturing has provided customers around the world with a wide range of material handling equipment. Today, Vactor is the industry leader in vacuum excavators, sewer and catch basin cleaners and industrial vacuum loaders featuring innovative technology and custom configurable designs. With one of the largest and most developed distributor networks in the industry, Vactor has more than 50 North American dealers in more than 100 locations to serve the municipal market, as well as twelve factory direct locations through FS Solutions for utility and industrial customers.

Weights and dimensions shown are for reference only and the actual will vary based on option content and chassis selected. Some images may include optional equipment. Specifications subject to change without notice. Vactor<sup>®</sup>, HXX<sup>®</sup> HydroExcavator<sup>®</sup>, and HXX Prodigy<sup>®</sup>, ParaDIGm<sup>®</sup> are registered trademarks of Vactor Manufacturing. Vactor is a subsidiary of Federal Signal.

Effective 8/18 P/N 00077-G © 2018 Vactor Manufacturing

1621 South Illinois St., Streator, IL 61364 • 815-672-3171 • [www.vactor.com](http://www.vactor.com)